

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		1/59
Last revised date :	07.04.2022		·

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Carbon monoxide, compressed

Trade name: Carbon monoxide 2.0 Chemical, Carbon monoxide 3.7, Carbon monoxide 3.7

Instrument, Carbon monoxide 4.7 Scientific

Additional identification

Chemical name: Carbon monoxide

Chemical formula: CO

INDEX No.006-001-00-2CAS-No.630-08-0EC No.211-128-3

REACH Registration No. 01-2119480165-39

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Industrial and professional use for chemical analysis, calibration, (routine)

quality control, laboratory use. Under controlled conditions.

Catalytic agent Use as an Intermediate (transported, on-site isolated). Use for

electronic component manufacture. Use of gas to manufacture

pharmaceutical products. Using gas alone or in mixtures for the calibration of analysis equipment. Using gas as a monomer in polymer production. Using gas as feedstock in chemical processes. Using gas for metal treatment.

Formulation of mixtures with gas in pressure receptacles.

Uses advised against Contact supplier for more information on uses. Uses other than those listed

above are not supported.

1.3 Details of the supplier of the safety data sheet

Supplier

Oy Linde Gas Ab Telephone: +358 10 2421

Itsehallintokuja 6 FIN-02600 ESPOO

E-mail: sds.ren@linde.com

1.4 Emergency telephone number: Poison Information Center: open 24 hours a day, tel. 09 471 977



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		2/59
Last revised date :	07.04.2022		·

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Flammable gas Category 1B H221: Flammable gas.

Gases under pressure Compressed gas H280: Contains gas under pressure; may explode if

heated.

Health Hazards

Acute toxicity (Inhalation - gas) Category 3 H331: Toxic if inhaled.

Toxic to reproduction Category 1A H360D: May damage the unborn child.

Specific Target Organ Toxicity - Category 1 H372: Causes damage to organs through prolonged or

Repeated Exposure repeated exposure.

2.2 Label Flements



Signal Word: Danger

Hazard Statement(s): H221: Flammable gas.

H280: Contains gas under pressure; may explode if heated.

H331: Toxic if inhaled.

H360D: May damage the unborn child.

H372: Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

General None.

Prevention: P202: Do not handle until all safety precautions have been read and

SDS_FI - 000010021698



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		3/59
Last revised date :	07.04.2022		·

understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. P260: Do not breathe gas/vapors.

Response: P304+P340+P315: IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Get immediate medical advice/attention. P308+P313: IF exposed or concerned: Get medical advice/attention. P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381: In case of leakage, eliminate all ignition sources.

Storage: P403: Store in a well-ventilated place.

P405: Store locked up.

Disposal None.

Supplemental information

Restricted to professional users. Restricted to professional users.

2.3 Other hazards

Endocrine disrupting properties-Toxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		4/59
Last revised date :	07.04.2022		

SECTION 3: Composition/information on ingredients

3.1 Substances

 Chemical name
 Carbon monoxide

 INDEX No.:
 006-001-00-2

 CAS-No.:
 630-08-0

 EC No.:
 211-128-3

REACH Registration No.: 01-2119480165-39

Purity: 100%

The purity of the substance in this section is used for classification only, and does not represent the actual purity of the substance as supplied, for which other

documentation should be consulted.

Trade name: Carbon monoxide 2.0 Chemical, Carbon monoxide 3.7, Carbon monoxide 3.7

Instrument, Carbon monoxide 4.7 Scientific

Chemical name	Chemical formula	Concentration	CAS-No.		REACH Registration No.	M-Factor:	Notes
Carbon monoxide	СО	100%	630-08-0	211-128-3	01- 2119480165- 39	1	#

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

SECTION 4: First aid measures

General: Remove victim to uncontaminated area wearing self contained breathing

apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if

breathing stopped.

4.1 Description of first aid measures

Inhalation: Remove victim to uncontaminated area wearing self contained breathing

apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if

breathing stopped.

[#] This substance has workplace exposure limit(s).

^{##} This substance is listed as SVHC.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		5/59
Last revised date :	07.04.2022		·

Eye contact: May cause temporary eye irritation. Adverse effects not expected from this

product.

Skin Contact: Not relevant, due to the form of the product.

Ingestion: Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and

effects, both acute and

delayed:

May be fatal if inhaled. Danger of serious damage to health by prolonged

exposure. Causes damage to organs. Symptoms may include: Dizziness. Headache.

Nausea, vomiting. Loss of co-ordination. Symptoms may be delayed.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: May be fatal if inhaled. Danger of serious damage to health by prolonged

exposure. Causes damage to organs.

Treatment: Get immediate medical advice/attention. In case of exposure, provide oxygen.

SECTION 5: Firefighting measures

General Fire Hazards: Heat may cause the containers to explode.

5.1 Extinguishing media

Suitable extinguishing media: Use water spray to reduce vapors or divert vapor cloud drift. Water. Dry powder.

Foam

Unsuitable extinguishing

media:

Carbon Dioxide.

5.2 Special hazards arising from the

substance or mixture:

Fire or excessive heat may produce hazardous decomposition products. None.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		6/59
Last revised date :	07.04.2022		·

5.3 Advice for firefighters

Special fire-fighting procedures:

In case of fire: Stop leak if safe to do so. Use of water may result in the formation of very toxic aqueous solutions. Keep run-off water out of sewers and water sources. Dike for water control. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out. In case of fire: Stop leak if safe to do so. Keep run-off water out of sewers and water sources. Dike for water control. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out.

Special protective equipment for fire-fighters:

Gas tight chemically protective clothing (Type 1) in combination with self contained breathing apparatus. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Guideline: EN 943-2 Protective clothing against liquid and gaseous chemicals, aerosols and solid particles. Performance requirements for gas-tight (Type 1) chemical protective suits for emergency teams (ET) Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Provide adequate ventilation. Consider the risk of potentially explosive atmospheres . In case of leakage, eliminate all ignition sources. Monitor the concentration of the released product. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

6.2 Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Reduce vapour with fog or fine water spray. Keep run-off water out of sewers and water sources. Dike for water control.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		7/59
Last revised date :	07.04.2022		·

6.3 Methods and material for containment and cleaning up:

Provide adequate ventilation. Eliminate sources of ignition. Wash contaminated equipment or sites of leaks with copious quantities of water. Provide adequate

ventilation. Eliminate sources of ignition.

6.4 Reference to other sections: Refer to sections 8 and 13.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		8/59
Last revised date :	07.04.2022		·

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Only experienced and properly instructed persons should handle gases under pressure. Avoid exposure - obtain special instructions before use. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Purge system with dry inert gas (e.g. helium or nitrogen) before gas is introduced and when system is placed out of service. Purge air from system before introducing gas. Containers, which contain or have contained flammable or explosive substances, must not be inerted with liquid carbon dioxide. Assess the risk of a potentially explosive atmosphere and the need for suitable equipment i.e. explosion-proof. Take precautionary measures against static discharges. Keep away from ignition sources (including static discharges). Provide electrical earthing of equipment and electrical equipment usable in explosive atmospheres. Use non-sparking tools. Installation of a cross purge assembly between the container and the regulator is recommended. Excess pressure must be vented through an appropriate scrubber system. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Ensure the complete system has been (or is regularly) checked for leaks before use. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eq. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		9/59
Last revised date :	07.04.2022		·

should be in place.

7.2 Conditions for safe storage, including any incompatibilities:

All electrical equipment in the storage areas should be compatible with the risk of a potentially explosive atmosphere. Segregate from oxidant gases and other oxidants being stored. Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Keep away from food, drink and animal feeding stuffs. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

7.3 Specific end use(s): None.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Form of exposure	Exposure Lim	nit Values	Source
carbon monoxide	HTP 8H		20 ppm	23 mg/m3	Finland. Workplace Exposure Limits, as amended (07 2018)
	STEL		100 ppm	117 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
	TWA		20 ppm	23 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
	HTP 15MIN		75 ppm	87 mg/m3	Finland. Workplace Exposure Limits, as amended (2018)

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		10/59
Last revised date :	07.04.2022		·

Biological Limit Values

Chemical Identity	Parameters / Sampling Time	Exposure Limit Values	Source
carbon monoxide	Carboxyhemoglobin Sampling time period is immediately after exposure.	4 % (Urine)	HTP-ARVOT2 (07 2018)

DNEL-Values

Critical component	Туре	Value	Remarks
Carbon monoxide	Workers - Inhalation, Local, long-term	23 mg/m3	-
	Workers - Inhalation, Systemic, long-term	23 mg/m3	-
	Workers - Inhalation, Systemic, short-term	117 mg/m3	-
	Workers - Inhalation, Local, short-term	117 mg/m3	-
Carbon monoxide	Workers - Inhalation, Local, long-term	23 mg/m3	-
	Workers - Inhalation, Systemic, long-term	23 mg/m3	-
	Workers - Inhalation, Systemic, short-term	117 mg/m3	-
	Workers - Inhalation, Local, short-term	117 mg/m3	-



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		11/59
Last revised date :	07.04.2022		·

8.2 Exposure controls

Appropriate engineering controls:

Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate general and local exhaust ventilation. Keep concentrations well below occupational exposure limits. Gas detectors should be used when toxic quantities may be released. Gas detectors should be used when quantities of flammable gases or vapours may be released. Systems under pressure should be regularly checked for leakages. Product to be handled in a closed system and under strictly controlled conditions. Only use permanent leak tight installations (e.g. welded pipes). Take precautionary measures against static discharges. Do not eat, drink or smoke when using the product.

Individual protection measures, such as personal protective equipment

General information:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Keep suitable chemically resistant protective clothing readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Protect eyes, face and skin from contact with product. Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

Eye/face protection:

Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.

Skin protection

Hand Protection:

Guideline: EN 388 Protective gloves against mechanical risks.

Additional Information: Wear working gloves while handling containers Guideline: EN 374-1/2/3 Protective gloves against chemicals and micro-

organisms.

Additional Information: Chemically resistant gloves complying with EN 374 should be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

Body protection:

Wear fire resistant or flame retardant clothing.

Guideline: ISO/TR 2801:2007 Clothing for protection against heat and flame -- General recommendations for selection, care and use of protective clothing.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		12/59
Last revised date :	07.04.2022		·

Other: Wear safety shoes while handling containers

Guideline: ISO 20345 Personal protective equipment - Safety footwear.

Respiratory Protection: Reference should be made to European Standard EN 689 for methods for the

assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances. When allowed by a risk assessment Respiratory Protective Equipment (RPE) may be used The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres Never use any kind of filtering respiratory protection equipment when working with this

substance due to it having poor or no warning properties.

Guideline: EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing,

marking.

Thermal hazards: No precautionary measures are necessary.

Hygiene measures: Obtain special instructions before use. Do not eat, drink or smoke when using the

product.

Environmental exposure

controls:

For waste disposal, see section 13 of the SDS.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: Gas

Form: Compressed gas

Coloriess
Odor: Colorless

Odor Threshold: Odor threshold is subjective and is inadequate to warn of over

exposure.

Melting Point: -337 °F/-205 °C Experimental result, Key study

Boiling Point: -312,7 °F/-191,5 °C (1.013,25 hPa) Experimental result, Key

study



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		13/59
Last revised date :	07.04.2022		·

Flammability: Flammable gas Upper/lower limit on flammability or explosive limits

Explosive limit - upper: 74 %(V) Other, Supporting study

Explosive limit - lower: 10,9 %(V)

Flash Point: Not applicable to gases and gas mixtures.

Autoignition Temperature: +/- 607 °C Experimental result, Key study

Decomposition Temperature: Not known. **pH:** Not applicable

Viscosity

Dynamic viscosity:No data available. **Kinematic viscosity:**No data available.

Solubility(ies)

Solubility in Water: 29 g/l (68 °F/ 20 °C)Solubility (other): No data available.

Partition coefficient (n-octanol/water): 1,78

Dispersion Stability:No data available.

Vapor pressure: $> 101,325 \text{ kPa} (68 \degree \text{F}/20 \degree \text{C})$

Relative density: $0,97 (68 \degree F/20 \degree C)$

Density: 1,14 g/l (77 °F/25 °C) Experimental result, Weight of Evidence

study

Relative vapor density: 0,968 AIR=1
Particle characteristics: Not applicable

9.2 Other information

Flammability: Tci: 15,2

Molecular weight: 28,01 g/mol (CO)

Critical Temp. (°C): -140,0 °C

SECTION 10: Stability and reactivity

10.1 Reactivity: No reactivity hazard other than the effects described in sub-section below.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		14/59
Last revised date :	07.04.2022		

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of hazardous Can form a potentially explosive atmosphere in air. May react violently with

reactions: oxidants.

10.4 Conditions to avoid: Avoid moisture in the installation. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

10.5 Incompatible Materials: Air and oxidizers. Moisture. For material compatibility see latest version of ISO-

11114.

10.6 Hazardous Decomposition

Products:

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

General information: Carbon monoxide: Has been shown to produce adverse effects to the

cardiovascular, central nervous, and reproductive systems in laboratory animals

and chronically exposed humans.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Oral

Product Based on available data, the classification criteria are not met.

Acute toxicity - Dermal

Product Based on available data, the classification criteria are not met.

Acute toxicity - Inhalation

Product

Toxic if inhaled.

Carbon monoxide LC 50 (Rat, 4 h): 1300 ppm

LC 50 (Rat, 1 h): 3760 ppm

Repeated dose toxicity

Carbon monoxide LOAEL (Rat(Female), Inhalation, 72 Weeks): 200 ppm(m) Inhalation Experimental

SDS_FI - 000010021698



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		15/59
Last revised date :	07.04.2022		·

result, Key study

LOAEC (Rat, Inhalation): 200 ppm (Target Organ(s): Respiratory system)

Skin Corrosion/Irritation

Product Based on available data, the classification criteria are not met.

Carbon monoxide Not classified as an irritant.

Serious Eye Damage/Eye Irritation

Product Based on available data, the classification criteria are not met.

Carbon monoxide Not classified as an irritant.

Respiratory or Skin Sensitization

Product Based on available data, the classification criteria are not met.

Carbon monoxide No known effects from this product.

Germ Cell Mutagenicity

Product Based on available data, the classification criteria are not met.

Carbon monoxide There is no evidence of mutagenic potential.

Carcinogenicity

Product Based on available data, the classification criteria are not met.

Carbon monoxide No evidence of carcinogenic effects.

Reproductive toxicity

Product May damage fertility or the unborn child.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		16/59
Last revised date :	07.04.2022		

Carbon monoxide May damage fertility or the unborn child.

Reproductive toxicity (Fertility)

Carbon monoxide NOAEC (embryotoxicity): 65 ppm

Developmental toxicity (Teratogenicity)

Carbon monoxide LOAEC: 125 ppm

Specific Target Organ Toxicity - Single Exposure

Product Based on available data, the classification criteria are not met.

Carbon monoxide Route of Exposure: Inhalation

Target Organ(s): Blood

Causes damage to red blood cells (haemolytic poison). Carbon monoxide binds reversibly to haemoglobin (Hb) to form carboxyhaemoglobin (CoHb), reducing

the capacity of the blood to transport oxygen.

Specific Target Organ Toxicity - Repeated Exposure

Product Causes damage to organs through prolonged or repeated exposure.

Carbon monoxide Route of Exposure: Inhalation

Target Organ(s): Heart

Risk of serious health injuries in case of long term exposure.

Aspiration Hazard

Product Not applicable to gases and gas mixtures..

11.2 Information on other hazards

Endocrine disrupting properties

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Components:



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		17/59
Last revised date :	07.04.2022		·

Carbon monoxide The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Other information

Product: No data available.

SECTION 12: Ecological information

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product No ecological damage caused by this product.

Acute toxicity - Fish

Carbon monoxide LC 50 (Fish (no species mentioned)): 672,6 mg/l Remarks: QSAR QSAR, Supporting

study

Acute toxicity - Aquatic Invertebrates

Carbon monoxide LC 50 (48 h): 307,5 mg/l Remarks: QSAR QSAR, Supporting study

12.2 Persistence and Degradability

Product Not applicable to gases and gas mixtures..

Carbon monoxide Will not undergo hydrolysis.

Biodegradation

Carbon monoxide Not readily biodegradable. Inorganic compound.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		18/59
Last revised date :	07.04.2022		·

12.3 Bioaccumulative potential

Product The subject product is expected to biodegrade and is not expected to persist for

long periods in an aquatic environment.

Carbon monoxide Because of the low log Kow, accumulation in organisms is not expected.

12.4 Mobility in soil

Product Because of its high volatility, the product is unlikely to cause ground or water

pollution.

Carbon monoxide Because of its high volatility, the product is unlikely to cause ground or water

pollution.

12.5 Results of PBT and vPvB

assessment

Product Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties:

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Components:

Carbon monoxide The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects:

Other hazards

Product: No data available.

Other effects: No ecological damage caused by this product.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		19/59
Last revised date :	07.04.2022		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Must not be discharged to atmosphere. Consult supplier for specific

recommendations.

Disposal methods: Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at

http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to

national, state, or local laws.

European Waste Codes

Container: 16 05 04*: Gases in pressure containers (including halons) containing

hazardous substances.

SECTION 14: Transport information

ADR

14.1 UN number or ID number: UN 1016

14.2 UN Proper Shipping Name: CARBON MONOXIDE, COMPRESSED

14.3 Transport Hazard Class(es)

Class: 2
Label(s): 2.3, 2.1
Hazard No. (ADR): 263
Tunnel restriction code: (B/D)

14.4 Packing Group: –
Limited quantity None.
Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		20/59
Last revised date :	07.04.2022		·

RID

14.1 UN number or ID number: UN 1016

14.2 UN Proper Shipping Name CARBON MONOXIDE, COMPRESSED

14.3 Transport Hazard Class(es)

Class: 2 Label(s): 2.3, 2.1

14.4 Packing Group: –
Limited quantity None.
Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

IMDG

14.1 UN number or ID number: UN 1016

14.2 UN Proper Shipping Name: CARBON MONOXIDE, COMPRESSED

14.3 Transport Hazard Class(es)

 Class:
 2.3

 Label(s):
 2.3, 2.1

 EmS No.:
 F-D, S-U

14.4 Packing Group: -

Limited quantity None. Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

IATA

14.1 UN number or ID number: UN 1016

14.2 Proper Shipping Name: Carbon monoxide, compressed

14.3 Transport Hazard Class(es):

Class: 2.3
Label(s):
14.4 Packing Group: Limited quantity None.

Excepted quantity None.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		21/59
Last revised date :	07.04.2022		

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user:

Other information

Forbidden.

Passenger and cargo aircraft: Cargo aircraft only:

Forbidden.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Additional identification:

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. REACH Annex XIV, Substances Subject to Authorization as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		22/59
Last revised date :	07.04.2022		

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

The packaging shall be visibly, legibly and indelibly marked as follows: Restricted to professional users.

·No.
08-0

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Carbon monoxide	630-08-0	100%

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Classification	Lower-tier	Upper-tier
	Requirements	Requirements
H2: ACUTE TOXIC (Category 2,	50 t	200 t
all exposure routes; Category		
3, inhalation)		
P2: Flammable gases,	10 t	50 t
Category 1 or 2		

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Carbon monoxide	630-08-0	100%

National Regulations

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX) Only



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		23/59
Last revised date :	07.04.2022		

products that comply with the food regulations (EC) No. 1333/2008 and (EU) No.

231/2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 2020/878.

15.2 Chemical safety assessment: Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Relevant changes are indicated using two vertical bold lines and red text, the text is

also highlighted in grey.

Abbreviations and acronyms:

ECTLV: EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC.

2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended

FN_OEL: Finland. Workplace Exposure Limits, as amended

HTP-ARVOT2: Finland. HTP-arvot, App 2., Biological Limit Values, (BRA/BGV), Social Affairs and

Ministry of Health, as amended

ECTLV / STEL: Short Term Exposure Limit (STEL): ECTLV / TWA: Time Weighted Average (TWA): FN_OEL / HTP 15MIN: Short Term Exposure Limit (STEL): FN_OEL / HTP 8H: Time Weighted Average (TWA):

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR -Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; EIGA - European Industrial Gases Association; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent,



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		24/59
Last revised date :	07.04.2022		

Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data:

Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR)

(http://www.atsdr.cdc.gov/).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets.

European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search

European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling quide", as amended.

International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database Number 69.

The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/).

The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html)

Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication.

Wording of the H-statements in section 2 and 3

	H221	Flammable gas.
H280 Contains gas under pressure; may explode if heated.		Contains gas under pressure; may explode if heated.
H331 Toxic if inhaled.		Toxic if inhaled.
H360D May damage the unborn child.		May damage the unborn child.
H372 Causes damage to organ:		Causes damage to organs through prolonged or repeated exposure.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		25/59
Last revised date :	07.04.2022		·

Training information: Users of breathing apparatus must be trained. Ensure operators understand the

toxicity hazard. Ensure operators understand the flammability hazard. Ensure

operators understand the hazards.

Classification according to Regulation (EC) No 1272/2008 as amended.

Flam. Gas 1B, H221 Acute Tox. 3, H331 Repr. 1A, H360D STOT RE 1, H372

Press. Gas Compr. Gas, H280

Other information: Before using this product in any new process or experiment, a thorough material

compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting

from its use can be accepted.

Last revised date: 12.03.2024

Disclaimer: This information is provided without warranty. The information is believed to be

correct. This information should be used to make an independent determination of

the methods to safeguard workers and the environment.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		26/59
Last revised date :	07.04.2022		·

Annex to the extended Safety Data Sheet (eSDS)

Content

Exposure Scenario 1.

Exposure Scenario 2.

Exposure Scenario 3.

Exposure Scenario 4.

Exposure Scenario 5.

Exposure Scenario 5.

Exposure Scenario 6.

Formulation & (re)packing of substances and mixtures, Industrial use
Using gas for metal treatment., Industrial use
Use for electronic component manufacture., Industrial use
Use of gas to manufacture pharmaceutical products., Industrial use
Using gas as feedstock in chemical processes., Industrial use
Using gas alone or in mixtures for the calibration of analysis equipment.,

Professional use

Exposure Scenario 1.

Exposure scenario worker

1. Formulation & (re)packing of substances and mixtures, Industrial use			
List of use descriptors			
Sector(s) of use			
Product categories [PC]:			
Name of contributing environmental scenario and corresponding ERC	Formulation & (re)packing of substances and mixtures: ERC2: Formulation into mixture		
Contributing Scenarios	Formulation & (re)packing of substances and mixtures: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities		
	at dedicated facilities		



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		27/59
Last revised date :	07.04.2022		

2.1. Contributing exposure scenario controlling environmental exposure for: Formulation & (re)packing of substances and mixtures

Product characteristics	
Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.
Physical form of the product	See section 9 of the SDS.
Viscosity:	
Kinematic viscosity:	No data available.

Amounts used

Dynamic viscosity:

The actual tonnage handled per site is not considered to influence the immissions as such for this scenario as there is practically no release

No data available.

Frequency and duration of use

Batch process:	220 Emission days
Continuous process:	not relevant

Environment factors not influenced by risk management

Other given operational conditions affecting environmental exposure

Other relevant operational conditions	not relevant

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		28/59
Last revised date :	07.04.2022		·

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant
Measures to limit air emissions:	not relevant
Remarks:	Wastewater emission controls are not applicable as there is no direct release to wastewater.

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		29/59
Last revised date :	07.04.2022		, i

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Formulation & (re)packing of substances and mixtures

Process Categories:	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities

Product characteristics

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.

Physical form of the product:	See section 9 of the SDS.
Vapour pressure:	> 101,325 kPa
Process temperature:	>= 20 °C
Remarks	not relevant

Amounts used

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

Use duration: Frequency of use:	Remarks
---------------------------------	---------



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		30/59
Last revised date :	07.04.2022		·

Hours per shift 8	3 h 5 days per	week
-------------------	----------------	------

Human factors not influenced by risk management

This information is not available.

Other given operational conditions affecting workers exposure

Other relevant operational conditions: . See section 8 of the SDS.

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 7 of the safety data sheet

Technical conditions and measures to control dispersion from source towards the worker

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
Provide a basic standard of general ventilation (1 to 3 air changes per hour).				Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
Provide a basic standard of general ventilation (1 to 3 air changes per hour).				Transfer of substance or mixture (charging and discharging) at dedicated facilities
Local exhaust ventilation				Transfer of substance or mixture (charging and discharging) at dedicated facilities

Organisational measures to prevent/limit releases, dispersion and exposure



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		31/59
Last revised date :	07.04.2022		·

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
See section 7 of the SDS.				

Conditions and measures related to personal protection, hygiene and health evaluation

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
				See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed

3. Exposure estimation

Environment:

Formulation & (re)packing of substances and mixtures:

none

Health:

Formulation & (re)packing of substances and mixtures:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		32/59
Last revised date :	07.04.2022		·

Exposure Scenario 2.

Exposure scenario worker

1. Using gas for metal treatment., Industrial use

List of use descriptors	
Sector(s) of use	SU14: Manufacture of basic metals, including alloys
	SU15: Manufacture of fabricated metal products, except machinery and equipment
Product categories [PC]:	PC14: Metal surface treatment products
	,
Name of contributing environmental scenario and corresponding ERC	Using gas for metal treatment.: ERC6b: Use of reactive processing aid at industrial site (no inclusion into or onto article)
Contributing Scenarios	Using gas for metal treatment.: PROC22: Manufacturing and processing of minerals and/or metals at substantially elevated temperature

2.1. Contributing exposure scenario controlling environmental exposure for: Using gas for metal treatment., Industrial use

Product characteristics	
Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.
Physical form of the product	See section 9 of the SDS.
Viscosity:	
Kinematic viscosity:	No data available.

Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		33/59
Last revised date :	07.04.2022		

Amounts used

The actual tonnage handled per site is not considered to influence the immissions as such for this scenario as there is practically no release

Frequency and duration of use

Batch process:	220 Emission days
Continuous process:	not relevant

Environment factors not influenced by risk management

Other given operational conditions affecting environmental exposure

Other relevant operational conditions	not relevant
---------------------------------------	--------------

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		34/59
Last revised date :	07.04.2022		

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant
Measures to limit air emissions:	not relevant
Remarks:	Wastewater emission controls are not applicable as there is no direct release to wastewater.

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste

Fraction of used amount transferred to external waste treatment:

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Using gas for metal treatment., Industrial use



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		35/59
Last revised date :	07.04.2022		·

Process Categories:	PROC22: Manufacturing and processing of minerals and/or metals at	
	substantially elevated temperature	

Product characteristics

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.	
Physical form of the product:	See section 9 of the SDS.	

Physical form of the product:	See section 9 of the SDS.
Vapour pressure:	> 101,325 kPa
Process temperature:	>= 20 °C
Remarks	not relevant

Amounts used

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

	Use duration:	Frequency of use:	Remarks
Hours per shift	8 h	5 days per week	

Human factors not influenced by risk management

This information is not available.

Other given operational conditions affecting workers exposure

01	:her relevant (perationa	l condi	tions:	. See section 8 of	f the	SDS.		
----	-----------------	-----------	---------	--------	--------------------	-------	------	--	--

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 7 of the safety data sheet



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		36/59
Last revised date :	07.04.2022		

Technical conditions and measures to control dispersion from source towards the worker

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
Provide a basic standard of general ventilation (1 to 3 air changes per hour).				Manufacturing and processing of minerals and/or metals at substantially elevated temperature
Local exhaust ventilation				Manufacturing and processing of minerals and/or metals at substantially elevated temperature

Organisational measures to prevent/limit releases, dispersion and exposure

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
See section 7 of the SDS.				

Conditions and measures related to personal protection, hygiene and health evaluation

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
				See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		37/59
Last revised date :	07.04.2022		·

3. Exposure estimation

Environment:

Using gas for metal treatment., Industrial use:

none

Health:

Using gas for metal treatment., Industrial use:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra

Exposure Scenario 3.

Exposure scenario worker

1. Use for electronic component manufacture., Industrial use

List of use descriptors	
Sector(s) of use	SU16: Manufacture of computer, electronic and optical products, electrical equipment
Product categories [PC]:	PC33: Semiconductors
Name of contributing environmental scenario and corresponding ERC	<u>Use for electronic component manufacture.:</u> ERC6a: Use of intermediate

Contributing Scenarios	Use for electronic component manufacture.: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		38/59
Last revised date :	07.04.2022		

2.1. Contributing exposure scenario controlling environmental exposure for: Use for electronic component manufacture., Industrial use			
Product characteristics			
Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.		
Physical form of the product	See section 9 of the SDS.		
Viscosity:			
Kinematic viscosity:	No data available.		
Dynamic viscosity:	No data available.		
Amounts used			
The actual tonnage handled per site is not cons practically no release	sidered to influence the immissions as such for this scenario as there is		
Frequency and duration of use			
Batch process:	220 Emission days		
Continuous process:	not relevant		
Environment factors not influenced by risk manag	gement		

Other given operational conditions affecting environmental exposure

Other relevant operational conditions	not relevant
	·

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		39/59
Last revised date :	07.04.2022		

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant
Measures to limit air emissions:	not relevant
Remarks:	Wastewater emission controls are not applicable as there is no direct release to wastewater.

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		40/59
Last revised date :	07.04.2022		

Fraction of used amount transferred to external waste treatment:

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Use for electronic component manufacture., Industrial use

Process Categories:	PROC1: Chemical production or refinery in closed process without
	likelihood of exposure or processes with equivalent containment
	conditions

Product characteristics

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.
Physical form of the product:	See section 9 of the SDS.
Vapour pressure:	> 101,325 kPa
Process temperature:	>= 20 °C

not relevant

Amounts used

Remarks

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

	Use duration:	Frequency of use:	Remarks
Hours per shift	8 h	5 days per week	



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		41/59
Last revised date :	07.04.2022		·

Human factors not in	fluenced by risk mana	gement		
This information i	s not available			
THIS IIIIOTHIGHOTT	3 Hot a valiable.			
Other given operatio	nal conditions affectir	ng workers exposure		
	e l Pe		0 (11 606	
Other relevant opera	tional conditions:	. See section	8 of the SDS.	
Risk management me	easures (RMM)			
Technical conditions	and measures at proce	ess level (source) to r	revent releace	
Technical conditions	and measures at proce	ess level (source) to p	ilevelit lelease	
See chapter 7 of	the safety data sheet			
	·			
Technical conditions	and measures to conti	rol dispersion from so	urce towards the work	er
inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
Provide a basic standard of general ventilation (1 to 3 air changes per hour).				Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
Organisational meas	ures to prevent/limit r	eleases, dispersion a	nd exposure	
inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
See section 7 of the SDS.				
Conditions and meas	usos soloto dito pieseo	al acatactica, busine	a and booth avaluation	

eye exposure

oral exposure

Remarks

dermal exposure

inhalation

exposure



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		42/59
Last revised date :	07.04.2022		·

		See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed

3. Exposure estimation

Environment:

Use for electronic component manufacture., Industrial use:

none

Health:

Use for electronic component manufacture., Industrial use:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra

Exposure Scenario 4.

Exposure scenario worker

1. Use of gas to manufacture pharmaceutical products., Industrial use

List of use descriptors	
Sector(s) of use	SU9: Manufacture of fine chemicals
Product categories [PC]:	PC29: Pharmaceuticals



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		43/59
Last revised date :	07.04.2022		·

Name of contributing environmental scenario and corresponding ERC	Use of gas to manufacture pharmaceutical products.: ERC6a: Use of intermediate
Contributing Scenarios	Use of gas to manufacture pharmaceutical products.: PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

2.1. Contributing exposure scenario controlling environmental exposure for: Use of gas to manufacture pharmaceutical products., Industrial use

Product characteristics

_	
Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.
Physical form of the product	See section 9 of the SDS.
Viscosity:	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.

Amounts used

The actual tonnage handled per site is not considered to influence the immissions as such for this scenario as there is practically no release

Frequency and duration of use

Batch process:	220 Emission days
----------------	-------------------



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		44/59
Last revised date :	07.04.2022		·

Continuous process:	not relevant
---------------------	--------------

Environment factors not influenced by risk management

Other given operational conditions affecting environmental exposure

Other relevant operational conditions	not relevant

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant
Measures to limit air emissions:	not relevant



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		45/59
Last revised date :	07.04.2022		·

Remarks:	Wastewater emission controls are not applicable as there is no direct	
	release to wastewater.	

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste

Fraction of used amount transferred to external waste treatment:

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Use of gas to manufacture pharmaceutical products., Industrial use

Process Categories:	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
---------------------	---

Product characteristics



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		46/59
Last revised date :	07.04.2022		

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.	
Physical form of the product:	See section 9 of the SDS.	
Vapour pressure:	> 101,325 kPa	
Process temperature:	>= 20 °C	
Remarks	not relevant	

Amounts used

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

	Use duration:	Frequency of use:	Remarks
Hours per shift	8 h	5 days per week	

Human factors not influenced by risk management

This information is not available.

Other given operational conditions affecting workers exposure

Other relevant operational conditions:

. See section 8 of the SDS.

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 7 of the safety data sheet

Technical conditions and measures to control dispersion from source towards the worker

inhalation	dermal exposure	eye exposure	oral exposure	Remarks
exposure				



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		47/59
Last revised date :	07.04.2022		·

Provide a basic standard of general ventilation (1 to 3 air changes per hour).		Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
Local exhaust ventilation		Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
Provide a basic standard of general ventilation (1 to 3 air changes per hour).		Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
Local exhaust ventilation		Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

Organisational measures to prevent/limit releases, dispersion and exposure

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
See section 7 of the SDS.				

Conditions and measures related to personal protection, hygiene and health evaluation

inhalation	dermal exposure	eye exposure	oral exposure	Remarks
exposure				



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		48/59
Last revised date :	07.04.2022		, i

		See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed

3. Exposure estimation

Environment:

Use of gas to manufacture pharmaceutical products., Industrial use:

none

Health:

Use of gas to manufacture pharmaceutical products., Industrial use:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra

Exposure Scenario 5.

Exposure scenario worker

1. Using gas as feedstock in chemical processes., Industrial use

List of use descriptors	
Sector(s) of use	SU8: Manufacture of bulk, large scale chemicals (including petroleum products)
	SU9: Manufacture of fine chemicals



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		49/59
Last revised date :	07.04.2022		·

Product categories [PC]:	PC21: Laboratory chemicals
Name of contributing environmental scenario and corresponding ERC	<u>Using gas as feedstock in chemical processes.:</u> ERC6a: Use of intermediate
Contributing Scenarios	Using gas as feedstock in chemical processes.: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities

2.1. Contributing exposure scenario controlling environmental exposure for: Using gas as feedstock in chemical processes., Industrial use

Product characteristics

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.
Physical form of the product	See section 9 of the SDS.
Viscosity:	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.

Amounts used

The actual tonnage handled per site is not considered to influence the immissions as such for this scenario as there is practically no release

Frequency and duration of use



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		50/59
Last revised date :	07.04.2022		

Batch process:	220 Emission days
Continuous process:	not relevant

Environment factors not influenced by risk management

Other given operational conditions affecting environmental exposure

Other relevant operational conditions	not relevant
---------------------------------------	--------------

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		51/59
Last revised date :	07.04.2022		·

Measures to limit air emissions:	not relevant	
Remarks:	Wastewater emission controls are not applicable as there is no direct release to wastewater.	

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste

Fraction of used amount transferred to external waste treatment:

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Using gas as feedstock in chemical processes., Industrial use

Process Categories:	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment
	conditions PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities

Product characteristics



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		52/59
Last revised date :	07.04.2022		·

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.	
Physical form of the product:	See section 9 of the SDS.	
Vapour pressure:	> 101,325 kPa	
Process temperature:	>= 20 °C	
Remarks	not relevant	

Amounts used

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

	Use duration:	Frequency of use:	Remarks
Hours per shift	8 h	5 days per week	

Human factors not influenced by risk management

This information is not available.

Other given operational conditions affecting workers exposure

Other relevant operational conditions:

. See section 8 of the SDS.

Risk management measures (RMM)

Technical conditions and measures at process level (source) to prevent release

See chapter 7 of the safety data sheet

Technical conditions and measures to control dispersion from source towards the worker

inhalation	dermal exposure	eye exposure	oral exposure	Remarks
exposure				



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		53/59
Last revised date :	07.04.2022		·

Provide a basic standard of general ventilation (1 to 3 air changes per hour).		Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
Provide a basic standard of general ventilation (1 to 3 air changes per hour).		Transfer of substance or mixture (charging and discharging) at dedicated facilities
Local exhaust ventilation		Transfer of substance or mixture (charging and discharging) at dedicated facilities

Organisational measures to prevent/limit releases, dispersion and exposure

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
See section 7 of the SDS.				

Conditions and measures related to personal protection, hygiene and health evaluation

inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks
				See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		54/59
Last revised date :	07.04.2022		

3. Exposure estimation

Environment:

Using gas as feedstock in chemical processes., Industrial use:

none

Health:

Using gas as feedstock in chemical processes., Industrial use:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra

Exposure Scenario 6.

Exposure scenario worker

1. Using gas alone or in mixtures for the calibration of analysis equipment., Professional use

List of use descriptors	
Sector(s) of use	SU24: Scientific research and development
Product categories [PC]:	PC21: Laboratory chemicals
Name of contributing environmental scenario and corresponding ERC	Using gas alone or in mixtures for the calibration of analysis equipment.: ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Contributing Scenarios	Using gas alone or in mixtures for the calibration of analysis
	equipment.: PROC15: Use as laboratory reagent
l	TRUCTS. Use as labulatory reagent



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		55/59
Last revised date :	07.04.2022		

2.1. Contributing exposure scenario controlling environmental exposure for: Using gas alone or in mixtures for the calibration of analysis equipment., Professional use **Product characteristics** Concentration of the substance in a mixture: Covers percentage substance in the product up to 100 %. Physical form of the product See section 9 of the SDS. Viscosity: Kinematic viscosity: No data available. Dynamic viscosity: No data available. Amounts used The actual tonnage handled per site is not considered to influence the immissions as such for this scenario as there is practically no release Frequency and duration of use Batch process: 220 Emission days Continuous process: not relevant Environment factors not influenced by risk management Other given operational conditions affecting environmental exposure

not relevant

Technical conditions and measures at process level (source) to prevent release

Other relevant operational conditions

Risk management measures (RMM)



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		56/59
Last revised date :	07.04.2022		

See chapter 8 of the safety data sheet (Environmental exposure controls).

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Technical and organisational measures	Handle substance within a closed system.
Air	Air - minimum efficiency of 100 %
Soil	not relevant
Water	not relevant
Remarks:	not relevant

Organisational measures to prevent/limit release from site:

none

Conditions and measures related to sewage treatment plant

type:	not relevant
Discharge rate:	not relevant
Treatment effectiveness:	not relevant
Sludge treatment technique:	not relevant
Measures to limit air emissions:	not relevant
Remarks:	Wastewater emission controls are not applicable as there is no direct release to wastewater.

Conditions and measures related to external treatment of waste for disposal

Fraction of used amount transferred to external waste treatment:

Suitable waste treatment	Treatment effectiveness	Remarks
See section 13 of the SDS		External treatment and disposal of waste should comply with applicable local and/or national regulations.

Conditions and measures related to external recovery of waste



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		57/59
Last revised date :	07.04.2022		

Fraction of used amount transferred to external waste treatment:

Suitable recovery operations:	Treatment effectiveness	Remarks
See section 13 of the SDS		External recovery and recycling of waste should comply with applicable local and/or national regulations.

Additional good practice advice beyond the REACH CSA

Ensure operatives are trained to minimise releases

2.2. Contributing exposure scenario controlling worker exposure for: Using gas alone or in mixtures for the calibration of analysis equipment., Professional use

Process Categories:	PROC15: Use as laboratory reagent
---------------------	-----------------------------------

Product characteristics

Concentration of the substance in a mixture:	Covers percentage substance in the product up to 100 %.	
Physical form of the product:	See section 9 of the SDS.	
Vapour pressure:	> 101,325 kPa	
Process temperature:	>= 20 °C	

not relevant

Amounts used

Remarks

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROCs and technical conditions) is the main determinant of the process-intrinsic emission potential.

Frequency and duration of use

	Use duration:	Frequency of use:	Remarks
Hours per shift	8 h	5 days per week	

Human factors not influenced by risk management



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		58/59
Last revised date :	07.04.2022		·

This information is not available.						
	THIS INTO THIS COURT IS THAT GRANDER.					
Other given operatio	nal conditions affecting	workers exposure				
Other relevant opera	tional conditions:	. See section 8 d	of the SDS.			
Risk management me	easures (RMM)					
	,					
Technical conditions	and measures at proces	ss level (source) to prev	vent release			
See chanter 7 of t	the safety data sheet					
See chapter 7 or t	ine sarety data sheet					
Technical conditions	and measures to contro	l dispersion from sourc	e towards the worker			
inhalation	dermal exposure	eye exposure	oral exposure	Remarks		
exposure						
Provide a basic standard of general				Use as laboratory reagent		
ventilation (1 to 3 air changes per						
hour).						
Local exhaust ventilation				Use as laboratory reagent		
Organicational moas	uses to associate /limit so	leases dispersion and	OVERGUE			
<u>Organisational illeasi</u>	ures to prevent/limit re	leases, dispersion and	exposure			
inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks		
See section 7 of the SDS.						
Conditions and meas	Conditions and measures related to personal protection, hygiene and health evaluation					
inhalation exposure	dermal exposure	eye exposure	oral exposure	Remarks		



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carbon monoxide, compressed

Issue Date:	16.01.2013	Version: 3.4	SDS No.: 000010021698
Revision Date:	12.03.2024		59/59
Last revised date :	07.04.2022		·

		See chapter 8 of the safety data sheet (Personal protection equipment)

Additional good practice advice beyond the REACH CSA

See section 7 of the SDS. Handle product within a closed system. Apply a good standard of general or controlled ventilation when maintenance activities are carried out. Ensure operatives are trained to minimise exposure Ensure supervision is in place to check that the RMMs are in place and are being used correctly and that the OCs are being followed

3. Exposure estimation

Environment:

Using gas alone or in mixtures for the calibration of analysis equipment., Professional use:

none

Health:

Using gas alone or in mixtures for the calibration of analysis equipment., Professional use:

none

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Check that RMMs and OCs are as described above or of equivalent efficiency Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. For scaling see http://www.ecetoc.org/tra